

**VILLAGE OF CAHOKIA
DEPARTMENT OF CODE ENFORCEMENT**

SPECIFICATION SHEET - BOCA BUILDING CODE

Roof Covering _____
 Sheathing Paper _____
 Roof Sheathing _____
 Roof Slope _____
 Roof Rafters _____ @ _____ Centers
 Ceiling Joists _____ @ _____ Centers

WIRING

1. All wiring in the building must conform to the Nation Electric Code.
2. No wiring less than #12 will be approved.
3. In high hazard areas all wire shall be encased in galvanized steel conduit.
4. Ground faults are required on all switches and receptacles in kitchen, baths, and basements.
5. All house electrical services must be a minimum of 100 AMP.

INTERIOR WALL FINISH _____ AND CEILING FINISH _____

Wall Studs _____ @ _____ Centers _____

Wall Boxing _____
 (Any material other than hard boxing must have diagonal bracing)

EXTERIOR WALL FINISH _____

SHEATHING PAPER _____

SHEATHING _____

WALL BRACING AND HEADERS _____

FINISH FLOOR _____
 (25/32" Hardwood in other rooms or equal)
 (5/8" in kitchen and baths or equal)

SUBFLOOR (1/2" Plywood Minimum) _____

FLOOR JOISTS (Maximum Spans are Shown, CHECK ONE THAT APPLIES)
 16 CENTERS
 2 X 8 () 2 X 10 () 2 X 12 ()
 11'4" Span 14'0" Span 16'6" Span

BEAM-SIZE _____ STYLE _____

TERMITE SHIELD _____

ANCHOR BLOT _____

FOUNDATION _____


WATER PROOFING _____
 FOUNDATION FROST LINE DEPTH (MINIMUM 32" PLUS FOOTINGS)

CRAWL SPACE _____ (MINIMUM OF 16")

CONCRETE FLOOR (MIN 4") _____

FOOTING 1 STORY _____ 8" X 16" Minimum

FOOTING 2 STORY _____ 10" X 20" MINIMUM



NOTE: Dowel Bars 1/2" @ 2' Centers may be used
 in lieu of Dove Tail in footing

VILLAGE OF CAHOKIA
DEPARTMENT OF CODE ENFORCEMENT

**BUILDING DEPARTMENT
INSPECTION FORM**

Building Permit Number: _____

Address: _____
Lot Number: _____
Parcel ID #: _____
Contact Person: _____
Structure Type: _____

Footing Inspection: _____	Date: _____
Remarks: _____	Time: _____

Framing Inspection: _____	Date: _____
Remarks: _____	Time: _____

Final Inspection: _____	Date: _____
Remarks: _____	Time: _____

Remarks: _____

Officer: _____

Unit: _____